


SEXUAL ADJUSTMENT INVENTORY
CONFIDENTIAL REPORT

NAME : Example Report
 AGE : 45 SEX: Male
 ETHNICITY/RACE : Caucasian
 EDUCATION/GRADE : H.S. Graduate
 DOB : 11/15/1973
 MARITAL STATUS : Single
 DATE ADMINISTERED : 09/18/2018
 CURRENT ARREST : 05/29/2017

Sexual Adjustment Inventory (SAI) results are confidential and should be considered working hypotheses. No diagnosis or decision should be based solely upon SAI results.

TWO TRUTHFULNESS SCALES



TRUTHFULNESS SCALES AWARENESS

Experienced sex offender evaluators understand that many offenders deny, minimize or even lie about their problems. This underscores the need for sex offender tests to have a Truthfulness Scale that determines offender truthfulness when tested. Why two Truthfulness Scales? Some offenders deny everything, whereas others only attempt to "fake good" or lie to sex-related (or non-sex-related) questions. These two Truthfulness Scales enable evaluators to make these determinations.


TRUTHFULNESS SCALE PARAGRAPHS

SEX ITEM TRUTHFULNESS SCALE SCALE SCORE:81
 This individual's Sex Item Truthfulness Scale score is in the Problem Risk (70 to 89th percentile) range. Problem risk scorers attempt to minimize their sex-related problems and concerns. Truth-corrected scale scores are accurate, but interpret them cautiously. This person is defensive and uses denial excessively. Considerable insight can be gained by comparing this Sex Item Truthfulness Scale score to this client's Test Item Truthfulness Scale score.

TEST ITEM TRUTHFULNESS SCALE SCALE SCORE:48
 This client's Test Item Truthfulness Scale score is in the Medium Risk (40th to 69th percentile) range. Answers to non-sex-related items are non-defensive and truthful. Non-sex-related scales were answered truthfully. Sex offenders often deny or minimize problems which underscores and emphasizes the importance of this non-sex-related truthfulness scale. The two truthfulness scales (Sex Item Truthfulness and Test Item Truthfulness) provide considerable insight into this client's motivation while completing the Sexual Adjustment Inventory.

range. This individual is not an exhibitionist, consequently a counseling or treatment recommendation is not offered.

NON-SEX-ITEM SCALES



NON-SEX SCALE PARAGRAPHS

VIOLENCE SCALE SCALE SCORE:77
 This client's violence scale score is in the Problem (70 to 89th percentile) range. A violence pattern is indicated. Admission items include: # 20, 44, 56. Recommendation: This person can be violent, consequently any other elevated (70th percentile or higher) SAI scale scores would be problematic. Individual or group counseling that focuses upon positive alternatives to the frustration-anger-violence cycle should be considered. Treatment intensity should match violence severity.

ANTISOCIAL SCALE SCALE SCORE:38
 This person's Antisocial Scale score is the Low Risk (zero to 39th percentile) range. Few, if any, indicators of deceit, repeated lying, chronic inability to conform to society or antisocial thinking are present. Low risk scorers typically manifest stability, loyalty, responsibility and a relatively trouble free adjustment. However, review the Test Item Truthfulness Scale score to clarify client truthfulness when tested.

DISTRESS SCALE SCALE SCORE:78
 This individual's Distress scale score is in the Problem (70 to 89th percentile) range. This person is experiencing problematic distress. Admission items include: # 10, 34, 46. Suicidal thinking (#156 or 217) was not admitted. Treatment (counseling) intensity should match the severity of distress intensity. Individual or group outpatient counseling might be considered. This person is troubled and concerned. Recommendation: stress management counseling. This score did not occur by chance.

IMPULSIVENESS SCALE SCALE SCORE:47
 This client's Impulsiveness scale score is in the Medium Risk (40 to 69th percentile) range. There has been considerable research on "sexual impulsivity disorders" in the last decade. Some scientists maintain that paraphilia-related disorders may be the more prevalent form of sexual impulsivity. Medium Risk scorers are usually not sexually impulsive individuals. However, other elevated (70th percent-

ile and above) SAI scale scorers (e.g., substance abuse) can influence a person's impulsivity.

ALCOHOL SCALE

SCALE SCORE:82

This client's Alcohol Scale score is in the Problem Risk (70 to 89th percentile) range. Alcohol abuse is indicated. This individual states (item #216) that she is not a recovering alcoholic. Relapse risk is high. Admission items include: # 26, 38, 50, 109. Recommendation: consider chemical dependency (alcohol) treatment augmented with mandatory Alcoholics Anonymous meetings. This person may be in the early stages of alcoholism.

DRUGS SCALE

SCALE SCORE:79

This person's Drugs Scale score is in the Problem (70 to 89th percentile) range. Drug use or abuse is indicated. This client states (item #216) that she is not a recovering drug abuser. Admission items include: # 18, 30, 42, 54. Recommendation: outpatient (individual or group) drug counseling should be considered. Treatment intensity should match drug problem severity. Narcotics Anonymous (NA) or Cocaine Anonymous (CA) meetings might augment - but should not take the place of treatment.

INFORMATION PROVIDED BY CLIENT

Age at first conviction.....	NA	Exhibitionism Arrests.....	0
Total Number of Arrests.....	2	Incest-related Arrests.....	1
Times Sentenced to Prison.....	0	Alcohol-related Arrests.....	1
Non-Sexual Violence Arrests....	0	Drug-related Arrests.....	0
Number of Sex-Related Arrests..	1	Months employed in last yr..	12
Sexual Assault Arrests.....	0	Registered Sex Offender	F
Child Molest Arrests.....	0	In Sex Treatment.....	F

MULTIPLE CHOICE ANSWERS

THESE MULTIPLE CHOICE ANSWERS: reflect the client's opinions with all their biases. Comparison of these subjective opinions with objective SAI Scale Scores can facilitate offender understanding.

208. Drinking not a problem	217. Not suicidal or homicidal
209. Drug use not a problem	218. None of the above
210. Temper not a problem	219. Has not forced sex
211. Distress not a problem	220. No prior counseling/treatment
212. Violence not a problem	221. No time in sexual treatment
213. Sex Adjustment not a problem	222. Distress: 1 or 2 (None)
214. No need for counseling	223. Adjustment: 1 or 2 (OK)
215. Not distressed or depressed	224. Impulsiveness: 1 or 2 (OK)
216. Not a recovering abuser	225. Antisocial thoughts: 1 or 2

OBSERVATIONS/RECOMMENDATIONS: _____

STAFF MEMBER SIGNATURE

DATE

SIGNIFICANT ITEMS: each of these answers is a direct admission or unusual answer. These answers give insight into the offender's thinking, motivation and rationalizations. When numerous, significant items may overflow onto a 6th page.

SEXUAL ADJUSTMENT

- 110. watches pornography
- 144. Has (had) sex therapy
- 190. Required to be in sex trtmnt

CHILD MOLEST

- 17. Sexually excited by youth
- 29. Sexually aroused by child

SEXUAL ASSAULT

- 95. Has forced someone to have sex
- 204. Admits has raped someone

EXHIBITIONISM

- 45. Aroused: thinks of exposing

ALCOHOL

- 26. Drinking is a problem
- 38. Concerned about drinking
- 50. Alcoholics Anonymous
- 109. Last year drinking problem

DRUGS

- 18. Uses marijuana
- 30. Denies using drugs but does
- 42. May or may not use drugs
- 54. worries about drug use

VIOLENCE

- 20. Gets angry quickly
- 44. Often thinks about revenge
- 56. Two or more items apply

ANTISOCIAL

- 107. Two or more apply to client

DISTRESS

- 10. Often lonely and unhappy
- 34. Often desperate and hopeless
- 46. Recently very distressed

IMPULSIVENESS

- 52. Acts on spur of the moment

SAI RESPONSES

1- 50	FTTFFFTFTFT	TFFTFTTTFT	FFFTTTFFTT	TTFTFFTTTF	FTTTTTTFTT
51-100	TTFTTTFFFF	FFFFFFFFFF	FFFFFFFFFF	FFFFFFFFFF	FFFFFFFFFF
101-150	FFFFFFTTTT	FFFFFFTFFF	FFFTFFFFFF	FFFTFFFTFT	FFFTFFFTFT
151-200	FFFTFFFTFF	FFFFFFFFFF	TFFTTTTTFT	FFFFFFFFFT	TTFTTTTTFT
201-225	TTFTFFF444	4444444444	41111		