Treatment Intervention Inventory-Juvenile CONFIDENTIAL REPORT

NAME : John Example

ID# : 0728 AGE : 16 GENDER : Male

ETHNICITY : Causasian

EDUCATION/GRADE : NA

DATE TII-J SCORED: 06/25/2018

Treatment Intervention Inventory-Juvenile results are confidential and should be considered working hypotheses. No diagnosis or decision be based solely upon these results. Use only with experienced staff judgment.

MEASURES	%ile	TII-JUVENILE PROFILE		
		' - '		-PROBLEM-MAX-
TRUTHFULNESS	87	_	_	
ANXIETY	8	- 	_ 	
DEPRESSION	38	-	- IBB	
ALCOHOL	13	-	- 	
DRUGS	77	-	- 	
STRESS COPING	12	-	- 	
SELF-ESTEEM	43	-	- ====	
DISTRESS	0	- -	- 	
FAMILY ISSUES	28			
		0	40	70 90 100 RES

* * SUMMARY PARAGRAPHS EXPLAINING CLIENT'S ATTAINED SCALE SCORES * *

TRUTHFULNESS SCALE: PROBLEM RISK RANGE RISK PERCENTILE:87 This client is self-protective. A conscious or perhaps subconscious attempt to present self in an overly favorable light is evident. This person is defensive and guarded regarding self-disclosure. Denial and defensiveness to further inquiry can be anticipated. Although truth-corrected scale scores should be accurate, some distortion is possible.

ANXIETY SCALE: LOW RISK RANGE RISK PERCENTILE:8

Few symptoms of anxiety, apprehension, tension or pressure are indicated. In counseling settings, anxiety and depression represent the most commonly reported symptoms of distress. This client reports a low anxiety level. This is a low risk Anxiety Scale score.

NAME: John Example

DEPRESSION SCALE: LOW RISK RANGE RISK PERCENTILE:38 Few symptoms of depression are evident. Symptoms include sadness, dejection guilt or despair. Sometimes anxiety masks symptoms of depression. A low level of depression is reported. Depression does not present as an issue in this client's overall adjustment.

ALCOHOL SCALE: LOW RISK RANGE RISK PERCENTILE:13 Few, if any, indicators of alcohol (beer, wine or liquor) abuse are evident. Alcohol use, if present, may be historical, experimental or social in nature and represent minimal involvement. Alcohol-related problems do not appear to be focal issues. A person who does not drink may score above zero, but would still be in the low risk range. This is a low risk Alcohol Scale score.

DRUGS SCALE: PROBLEM RISK RANGE

Drug-related problems are indicated. Either this youth has a drug problem or is a recovering (drug problem, but has stopped using) drug abuser. A pattern of drug abuse is evident. Drug-related treatment or counseling and Narcotics Anonymous (NA) or Cocaine Anonymous (CA) could be helpful. Relapse is possible. This is a problem risk Drugs Scale score.

STRESS COPING SCALE: LOW RISK RANGE RISK PERCENTILE:12 Good stress coping abilities are indicated. Low risk scorers cope very well with the stress and pressure they experience. Effective coping skills and stress management do not appear to be significant problems in this client's overall adjustment. This is a low risk score.

SELF-ESTEEM SCALE: MEDIUM RISK RANGE RISK PERCENTILE:43 Average self-esteem is indicated. This client's self-appraisal or self-esteem is generally positive. Self-esteem incorporates an attitude of acceptance--approval versus rejection--disapproval of oneself which includes attitudes, perceptions, feelings and beliefs about oneself. Self-esteem ratings are descriptive of the person one believes oneself to be. This is a medium risk score.

DISTRESS SCALE: LOW RISK RANGE RISK PERCENTILE:0 This youth's Distress Scale score is in the Low Risk (zero to 39th percentile) range. Distress incorporates symptoms of anxiety, dysphoria and depression. It represents the major reason adolescents seek counseling. This juvenile does not report serious distress, consequently no counseling recommendations are presented. This is a low risk Distress Scale profile.

FAMILY ISSUES SCALE: LOW RISK RANGE RISK PERCENTILE:28 This youth's score on the Family Issues Scale is in the Low Risk (zero to 39th percentile) range. Low risk scorers typically perceive their family relationships as harmonious and conflict free. They value the family unit and family homeostasis. This youth would agree that the environment in which we live is much more than a physical world; it consists of close interpersonal interaction within the family group.

SIGNIFICANT ITEMS: The following self-report responses represent areas that may help in understanding the client's situation.

NAME: John Example TII-Juvenile Report ALCOHOL **DRUGS** 8. Admits smokes marijuana (pot) Lack of items may be deceptive. 23. Smoked pot in last 30 days 47. Admits has a drug problem Review validity and other scales. FAMILY ISSUES **DISTRESS** Lack of items may be deceptive. Lack of items may be deceptive. Review validity and other scales. Review validity and other scales. ANXIETY **DEPRESSION** 89. Very often bored/restless Lack of items may be deceptive. Review validity and other scales. TREATMENT NEEDS: The identified items listed below reflect the client's self-reported opinions about perceived treatment needs. No Treatment Needs Identified SOCIAL STRESSORS (MULTIPLE CHOICE) 138. Rated distress: no problem 139. Rated drinking: no problem 140. Rated drug use: slight problem 132. Happiness: very happy
133. Drinking problem: no problem 134. Drug use a slight problem 140. Rated drug use: slight proble 135. Distress level: not a problem 141. Denies is suicidal/homicidal 136. Mental health: not a problem 142. Family problems: none 143. Presently on parole 137. States is not recovering

RECOMMENDATIONS:	
STAFE MEMBER STGNATURE	

TII-JUVENILE RESPONSES

1- 50 TFFTFTFFF FFFFFFFFF FFTFFFFFF FFFFFTFFF FFFFFTFFF 51-100 2113211252 5141314252 3142434231 4113414344 4112141141 101-143 2143233411 4341411411 NNNNNNNNN N143444112 442